

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	51	(execut\$6 adj8 (command\$6 adj4 concurrent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:40
L7	35	6 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:49
L8	18	7 and sequential\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:44
L9	95398	(process\$6 task\$6) with ((after upon respon\$6) adj4 complet\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:48
L10	16979	(process\$6 task\$6) adj6 ((after upon respon\$6) adj4 complet\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:48
L11	10021	(process\$6 task\$6) adj6 ((after upon respon\$6) adj complet\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:48
L12	6378	11 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:49
L13	250	(execut\$6 adj8 (command\$6 adj4 (parallel\$6 concurrent\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:49
L14	145	13 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:23

L15	9	12 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:53
L16	1	15 and sequential\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:54
L17	9	15 and sequen\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:54
L18	8	15 and (in near2 sequen\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:54
L20	38073	((task\$6 process\$6) with ((one adj2 after) sequen\$6 (in order\$6) (one adj2 by adj2 one))) with command\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:21
L21	20397	((task\$6 process\$6) with ((one adj2 after) sequen\$6 (in order\$6) (one adj2 by adj2 one))) and (sched\$6 near4 (task\$6 process\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:22
L22	9806	((task\$6 process\$6) with ((one adj2 after) sequen\$6 (in order\$6) (one adj2 by adj2 one))) same(sched\$6 near4 (task\$6 process\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:22
L23	4664	((task\$6 process\$6) with ((one adj2 after) sequen\$6 (in order\$6) (one adj2 by adj2 one))) same (sched\$6 adj2 (task\$6 process\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:23
L24	2382	23 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:40
L25	1192	(process\$6 adj2 system) and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:25

L26	889	(process\$6 adj system) and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:27
L27	66	26 and script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:27
L28	62	27 and comman\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:38
L29	7235	((concurrent\$6 parall\$6) adj2 (task\$6 process\$6)) and (sequen\$6 (in adj order\$6) (one adj after))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:39
L30	2113	((concurrent\$6 parall\$6) adj2 (task\$6 process\$6)) and (sequen\$6 (in adj order\$6) (one adj after)) and schedul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:40
L31	457	((concurrent\$6 parall\$6) adj2 (task\$6 process\$6)) and ((sequen\$6 (in adj order\$6) (one adj after)) with schedul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:40
L32	296	31 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:44
L33	113	32 and (sequenc\$6 near2 execut\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:56
L34	33	32 and (((sequen\$6 near2 execut\$6) near4 (task\$6 process\$6)) same (command\$6 instruct\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 05:57
S1	88	((schedul\$6 same execut\$6 same command\$6 same sequential\$6)) and @ad<"20001109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:40

S2	27	((schedul\$6 same execut\$6 same command\$6) with sequential\$6) and @ad<"20001109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:40
S3	0	709/102.ccls.	USPAT	OR	OFF	2004/03/07 19:02
S4	0	709/103.ccls.	USPAT	OR	OFF	2004/03/07 19:02
S5	145	709/253.ccls.	USPAT	OR	OFF	2004/03/07 18:49
S6	0	((sequential\$6 (in near4 order)) near12 (schedul\$6)) near12 command\$4) with (execut\$6 near4 concurren\$6)	USPAT	OR	OFF	2004/03/07 18:51
S7	55	((sequential\$6 (in near4 order)) near12 (schedul\$6)) near12 command\$4)	USPAT	OR	OFF	2004/03/07 19:15
S8	591	718/102.ccls.	USPAT	OR	OFF	2004/03/07 19:15
S9	323	718/103.ccls.	USPAT	OR	OFF	2004/03/07 19:03
S10	1941	((sequential\$6 (in near4 order)) near12 (schedul\$6))	USPAT	OR	OFF	2004/03/07 19:18
S11	69	718/102.ccls. and (((sequential\$6 (in near4 order)) near12 (schedul\$6)))	USPAT	OR	OFF	2004/03/07 19:15
S12	24	718/103.ccls. and (((sequential\$6 (in near4 order)) near12 (schedul\$6)))	USPAT	OR	OFF	2004/03/07 19:17
S13	464	((sequential\$6 (in near4 order)) near12 (schedul\$6)) and (complet\$6 near8 (prior before))	USPAT	OR	OFF	2004/03/07 19:18
S14	28	718/102.ccls. and (((sequential\$6 (in near4 order)) near12 (schedul\$6)) and (complet\$6 near8 (prior before)))	USPAT	OR	OFF	2004/03/07 19:19
S15	9	718/103.ccls. and (((sequential\$6 (in near4 order)) near12 (schedul\$6)) and (complet\$6 near8 (prior before)))	USPAT	OR	OFF	2004/03/07 19:19
S16	519	execut\$6 with command\$6 with concurrent\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:11
S17	264	execut\$6 near4 command\$6 near6 concurrent\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:12

S18	0	((execut\$6 near4 command\$6 near6 concurrent\$6) with encapsula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:12
S19	0	((execut\$6 with command\$6 with concurrent\$6) with encapsula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:12
S20	0	((execut\$6 with command\$6 with concurrent\$6) same encapsula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:12
S21	2	((execut\$6 with command\$6 with concurrent\$6) with (encapsula\$6 translata\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:13
S22	13	((execut\$6 with command\$6 with concurrent\$6) with (encapsula\$6 translata\$6 cod\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:21
S23	8	((execut\$6 with command\$6 with concurrent\$6) same (encapsula\$6 translata\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:18
S24	68	((schedul\$6 same execut\$6 same command\$6 same concurrent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:22
S25	37	((schedul\$6 same execut\$6 same command\$6 same concurrent\$6)) and @ad<"20001109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:39
S26	9	((command\$6) with (process\$6 task\$6) with (encapsula\$6)) same (schedul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:31
S27	3	S26 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:40

S28	2	S27 and sequenti\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:21
S29	3	S27 and order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:21
S30	0	S27 and (order\$6 same concurr\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:22
S31	1	S27 and (order\$6 and concurr\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:22
S32	3	((encapsu\$6 encod\$6) adj6 (command\$6) adj6 (process\$6 task\$6)) same (schedul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:33
S33	9	((encapsu\$6 encod\$6) adj6 (command\$6) adj6 (process\$6 task\$6)) and (schedul\$6 with command\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:48
S34	0	((encapsu\$6 encod\$6) adj6 (command\$6) adj6 (process\$6 task\$6)) and ((schedul\$6 with command\$6) with (order\$6 sequenti\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:34
S35	0	((encapsu\$6) adj4 (command\$6)) adj6 (process\$6 task\$6)) and ((schedul\$6 adj4 command\$6) with (order\$6 sequent\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 01:50
S36	14	((encapsu\$6) adj4 (command\$6)) adj6 (process\$6 task\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:00
S37	10	S36 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:01

S38	145	((((schedul\$6) adj6 (command\$6)) adj8 (order\$6 sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:19
S39	101	S38 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:19
S40	0	S39 and (encapsu\$6 adj4 command\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:02
S41	0	S39 and (encapsu\$6 adj8 command\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:02
S42	0	S39 and (encapsu\$6 with command\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:02
S43	15	S39 and (encod\$6 with command\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:02
S44	1	S39 and (encod\$6 adj8 command\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:02
S45	10	("4517670" "4688168" "5193193" "5297292" "5307471" "5463624" "5528767" "5623622" "5655133" "5717854").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/13 02:11
S46	13	((((schedul\$6 and execut\$6) adj6 (command\$6)) adj8 (sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:40
S47	11	S46 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:41

S48	5	((((schedul\$6 and execut\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:42
S49	4	S48 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:43
S50	1149	((((schedul\$6 execut\$6 encapsul\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:53
S51	5	((((schedul\$6 and (execut\$6 encapsul\$6)) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:43
S52	4	S51 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:45
S53	0	((((schedul\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6)) and (((encapsul\$6 excut\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:44
S54	0	((((schedul\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6)) and (((encapsul\$6 excut\$6)) adj8 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:44
S55	15	((((schedul\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6)) and (((encapsul\$6 execut\$6)) with ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:45
S56	12	S55 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:55
S57	0	((((schedul\$6 adj6 execut\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:54

S58	0	((((schedul\$6 adj2 execut\$6) adj6 (command)) adj8 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:54
S59	1	((((schedul\$6 adj2 execut\$6) adj6 (command)) with ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:55
S60	39	((((schedul\$6) adj6 (command)) adj10 ((in near2 order\$6) sequen\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 02:55
S61	25	S60 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 03:11
S62	3	(US-6018779-\$ or US-5978875-\$ or US-6148306-\$).did.	USPAT	OR	OFF	2005/06/13 03:02
S63	2	S62 and identif\$6	USPAT	OR	OFF	2005/06/13 03:10
S64	6	encapsu\$6 with command\$6 with first\$6 with (process\$6 task\$6)	USPAT	OR	OFF	2005/06/13 03:11
S65	5	S64 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 03:16
S66	46	(execut\$6 adj4 command\$6 adj4 concurr\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 03:16
S67	32	S66 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 03:17
S68	1	S67 and (schedul\$6 with (order\$6 sequenti\$6 consecu\$6 (one adj after\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 03:20
S69	3	S67 and (schedul\$6 same (order\$6 sequenti\$6 consecu\$6 (one adj after\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 03:20

S70	3	S67 and (scheduling same (order\$6 sequen\$6 consecu\$6 (one adj after\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 04:15
-----	---	--	---	----	-----	------------------